

## Výsledková listina přijímacích zkoušek

**Masarykovo gymnázium, Plzeň, Petáková 2**

zpracováno: 28. dubna 2017

čtyřleté studium 79-41-K/41 ŠVP: Všestranným vzděláním proti průměrnosti

P.č.	Reg. číslo	PrPr8K	PrPr9P	Bonifikace	Body ZŠ	test CJ	test M	Celkem bodů
1.	059	1.00	1.00	30.0	60.0	45	48	<b>153.0</b>
2.	222	1.00	1.00	15.0	45.0	50	50	<b>145.0</b>
3.	374	1.00	1.00	24.0	54.0	44	44	<b>142.0</b>
4.	301	1.00	1.00	12.0	42.0	49	47	<b>138.0</b>
5.	020	1.00	1.00	9.0	39.0	48	46	<b>133.0</b>
6.	095	1.00	1.00	3.0	33.0	49	50	<b>132.0</b>
7.	198	1.00	1.00	15.0	45.0	43	42	<b>130.0</b>
8.	417	1.00	1.00	3.0	33.0	48	48	<b>129.0</b>
9.	230	1.00	1.00	0.0	30.0	49	45	<b>124.0</b>
10.	265	1.10	1.00	0.0	28.5	46	49	<b>123.5</b>
11.	429	1.00	1.00	0.0	30.0	49	44	<b>123.0</b>
12.	263	1.00	1.00	3.0	33.0	45	45	<b>123.0</b>
13.	216	1.00	1.00	0.0	30.0	47	46	<b>123.0</b>
14.	279	1.00	1.00	0.0	30.0	48	44	<b>122.0</b>
15.	229	1.00	1.00	0.0	30.0	44	46	<b>120.0</b>
16.	009	1.00	1.00	0.0	30.0	47	42	<b>119.0</b>
17.	232	1.00	1.00	6.0	36.0	45	38	<b>119.0</b>
18.	267	1.00	1.00	0.0	30.0	45	43	<b>118.0</b>
19.	208	1.00	1.00	0.0	30.0	48	38	<b>116.0</b>
20.	189	1.00	1.00	0.0	30.0	44	42	<b>116.0</b>
21.	225	1.10	1.00	0.0	28.5	47	40	<b>115.5</b>
22.	036	1.00	1.00	0.0	30.0	43	42	<b>115.0</b>
23.	052	1.10	1.10	3.0	30.0	40	45	<b>115.0</b>
24.	082	1.00	1.00	0.0	30.0	45	40	<b>115.0</b>
25.	416	1.10	1.10	6.0	33.0	42	40	<b>115.0</b>
26.	201	1.00	1.00	0.0	30.0	43	41	<b>114.0</b>
27.	058	1.00	1.00	3.0	33.0	43	38	<b>114.0</b>
28.	303	1.00	1.00	0.0	30.0	42	42	<b>114.0</b>
29.	103	1.00	1.00	0.0	30.0	39	45	<b>114.0</b>
30.	037	1.00	1.00	0.0	30.0	45	39	<b>114.0</b>
31.	197	1.00	1.10	0.0	28.5	43	42	<b>113.5</b>
32.	203	1.20	1.20	0.0	24.0	45	44	<b>113.0</b>
33.	274	1.00	1.00	0.0	30.0	45	38	<b>113.0</b>
34.	204	1.00	1.00	0.0	30.0	45	37	<b>112.0</b>
35.	104	1.00	1.00	0.0	30.0	43	39	<b>112.0</b>
36.	371	1.00	1.00	0.0	30.0	46	36	<b>112.0</b>
37.	217	1.20	1.10	0.0	25.5	45	41	<b>111.5</b>
38.	094	1.10	1.00	0.0	28.5	43	40	<b>111.5</b>
39.	418	1.10	1.00	0.0	28.5	41	42	<b>111.5</b>
40.	191	1.20	1.00	0.0	27.0	41	43	<b>111.0</b>
41.	275	1.30	1.10	0.0	24.0	46	41	<b>111.0</b>
42.	320	1.00	1.00	0.0	30.0	42	38	<b>110.0</b>
43.	202	1.00	1.00	0.0	30.0	39	41	<b>110.0</b>
44.	324	1.10	1.00	0.0	28.5	41	40	<b>109.5</b>
45.	005	1.10	1.10	0.0	27.0	44	38	<b>109.0</b>
46.	454	1.20	1.20	0.0	24.0	38	47	<b>109.0</b>

47.	213	1.30	1.00	0.0	25.5	44	39	<b>108.5</b>
48.	210	1.00	1.00	0.0	30.0	43	35	<b>108.0</b>
49.	214	1.00	1.00	3.0	33.0	38	37	<b>108.0</b>
50.	090	1.10	1.00	0.0	28.5	40	39	<b>107.5</b>
51.	087	1.10	1.00	0.0	28.5	41	38	<b>107.5</b>
52.	419	1.10	1.00	0.0	28.5	42	37	<b>107.5</b>
53.	096	1.10	1.20	12.0	37.5	38	32	<b>107.5</b>
54.	308	1.00	1.00	0.0	30.0	40	37	<b>107.0</b>
55.	322	1.00	1.00	0.0	30.0	39	38	<b>107.0</b>
56.	370	1.50	1.30	0.0	18.0	44	45	<b>107.0</b>
57.	321	1.00	1.00	0.0	30.0	42	34	<b>106.0</b>
58.	106	1.00	1.00	0.0	30.0	36	40	<b>106.0</b>
59.	414	1.20	1.10	0.0	25.5	43	37	<b>105.5</b>
60.	220	1.00	1.20	0.0	27.0	37	41	<b>105.0</b>
61.	427	1.00	1.10	0.0	28.5	40	36	<b>104.5</b>
62.	093	1.10	1.20	0.0	25.5	41	38	<b>104.5</b>
63.	373	1.30	1.20	0.0	22.5	42	40	<b>104.5</b>
64.	368	1.00	1.10	0.0	28.5	37	39	<b>104.5</b>
65.	040	1.00	1.10	0.0	28.5	40	36	<b>104.5</b>
66.	101	1.00	1.00	0.0	30.0	38	36	<b>104.0</b>
67.	422	1.40	1.40	0.0	18.0	46	40	<b>104.0</b>
68.	280	1.20	1.00	0.0	27.0	41	36	<b>104.0</b>
69.	226	1.30	1.20	0.0	22.5	43	38	<b>103.5</b>
70.	375	1.20	1.10	0.0	25.5	37	41	<b>103.5</b>
71.	302	1.50	1.30	0.0	18.0	47	38	<b>103.0</b>
72.	266	1.20	1.20	0.0	24.0	42	37	<b>103.0</b>
73.	039	1.00	1.10	3.0	31.5	31	40	<b>102.5</b>
74.	102	1.00	1.20	0.0	27.0	36	39	<b>102.0</b>
75.	453	1.20	1.40	0.0	21.0	41	39	<b>101.0</b>
76.	023	1.00	1.10	0.0	28.5	31	41	<b>100.5</b>
77.	060	1.00	1.10	0.0	28.5	42	30	<b>100.5</b>
78.	312	1.50	1.30	0.0	18.0	42	40	<b>100.0</b>
79.	006	1.50	1.60	12.0	25.5	32	42	<b>99.5</b>
80.	309	1.10	1.00	0.0	28.5	38	33	<b>99.5</b>
81.	209	1.00	1.00	0.0	30.0	42	27	<b>99.0</b>
82.	221	1.00	1.10	0.0	28.5	34	36	<b>98.5</b>
83.	269	1.20	1.10	0.0	25.5	38	35	<b>98.5</b>
84.	223	1.00	1.10	0.0	28.5	31	39	<b>98.5</b>
85.	081	1.30	1.10	0.0	24.0	40	34	<b>98.0</b>
86.	022	1.10	1.10	0.0	27.0	45	26	<b>98.0</b>
87.	107	1.00	1.00	0.0	30.0	31	37	<b>98.0</b>
88.	084	1.00	1.00	0.0	30.0	34	34	<b>98.0</b>
89.	205	1.70	1.40	0.0	13.5	46	38	<b>97.5</b>
90.	421	1.00	1.20	0.0	27.0	43	27	<b>97.0</b>
91.	270	1.10	1.10	0.0	27.0	39	31	<b>97.0</b>
92.	467	1.10	1.20	0.0	25.5	43	27	<b>95.5</b>
93.	372	1.50	1.30	0.0	18.0	39	38	<b>95.0</b>
94.	215	1.00	1.00	3.0	33.0	41	20	<b>94.0</b>
95.	277	1.00	1.00	0.0	30.0	39	25	<b>94.0</b>
96.	319	1.10	1.10	0.0	27.0	32	34	<b>93.0</b>
97.	276	1.00	1.10	0.0	28.5	39	24	<b>91.5</b>
98.	423	1.00	1.10	0.0	28.5	40	23	<b>91.5</b>
99.	083	1.00	1.00	0.0	30.0	32	29	<b>91.0</b>
100.	271	1.30	1.50	0.0	18.0	34	39	<b>91.0</b>
101.	207	1.40	1.10	0.0	22.5	41	27	<b>90.5</b>

102.	420	1.60	1.30	0.0	16.5	36	38	<b>90.5</b>
103.	211	1.20	1.10	0.0	25.5	38	26	<b>89.5</b>
104.	228	1.50	1.30	0.0	18.0	31	40	<b>89.0</b>
105.	273	1.20	1.20	0.0	24.0	38	26	<b>88.0</b>
106.	089	1.30	1.40	0.0	19.5	41	27	<b>87.5</b>
107.	218	1.40	1.10	0.0	22.5	41	24	<b>87.5</b>
108.	299	1.60	1.80	0.0	9.0	38	39	<b>86.0</b>
109.	091	1.30	1.20	0.0	22.5	26	37	<b>85.5</b>
110.	092	1.30	1.40	0.0	19.5	42	24	<b>85.5</b>
111.	268	1.70	1.60	0.0	10.5	43	32	<b>85.5</b>
112.	105	1.30	1.30	0.0	21.0	34	30	<b>85.0</b>
113.	323	1.20	1.50	0.0	19.5	34	30	<b>83.5</b>
114.	424	1.30	1.50	0.0	18.0	38	27	<b>83.0</b>
115.	085	1.00	1.30	0.0	25.5	31	26	<b>82.5</b>
116.	199	1.50	1.50	0.0	15.0	40	27	<b>82.0</b>
117.	272	1.00	1.00	0.0	30.0	26	26	<b>82.0</b>
118.	297	2.00	1.70	0.0	4.5	40	37	<b>81.5</b>
119.	219	1.10	1.00	0.0	28.5	27	26	<b>81.5</b>
120.	212	1.20	1.10	0.0	25.5	36	19	<b>80.5</b>
121.	200	1.30	1.30	0.0	21.0	38	21	<b>80.0</b>
122.	369	1.10	1.50	0.0	21.0	28	30	<b>79.0</b>
123.	311	1.60	1.30	0.0	16.5	40	21	<b>77.5</b>
124.	086	1.40	1.50	0.0	16.5	33	26	<b>75.5</b>
125.	278	1.80	1.70	0.0	7.5	33	35	<b>75.5</b>
126.	310	1.40	1.40	0.0	18.0	27	30	<b>75.0</b>
127.	300	1.40	1.50	0.0	16.5	28	30	<b>74.5</b>
128.	264	1.40	1.30	0.0	19.5	32	23	<b>74.5</b>
129.	057	1.10	1.10	0.0	27.0	29	18	<b>74.0</b>
130.	224	1.60	1.40	0.0	15.0	33	25	<b>73.0</b>
131.	227	1.60	1.90	0.0	7.5	38	27	<b>72.5</b>
132.	206	1.60	1.10	0.0	19.5	31	21	<b>71.5</b>
133.	262	1.80	1.30	0.0	13.5	30	24	<b>67.5</b>
134.	038	1.40	1.40	0.0	18.0	30	18	<b>66.0</b>
135.	296	1.90	2.00	0.0	1.5	35	29	<b>65.5</b>
136.	298	1.50	1.60	0.0	13.5	28	24	<b>65.5</b>
137.	187	1.70	1.60	0.0	10.5	36	18	<b>64.5</b>
138.	325	1.90	1.90	0.0	3.0	38	23	<b>64.0</b>
139.	021	1.70	1.70	0.0	9.0	27	18	<b>54.0</b>