

## Výsledková listina přijímacích zkoušek

**Masarykovo gymnázium, Plzeň, Petáková 2**

zpracováno: 28. dubna 2019

osmileté studium 79-41-K/81 ŠVP: Všestranným vzděláním proti průměrnosti

Přijímací zkouška

Pořadí	Reg. číslo	PrPr4K	PrPr5P	Body ZŠ	test CJ	test M	Celkem bodů
1.-2.	358	1.00	1.00	20.0	49	44	<b>113.0</b>
1.-2.	114	1.00	1.00	20.0	43	50	<b>113.0</b>
3.	257	1.00	1.00	20.0	44	48	<b>112.0</b>
4.	320	1.00	1.00	20.0	45	44	<b>109.0</b>
5.-7.	091	1.00	1.00	20.0	40	47	<b>107.0</b>
5.-7.	176	1.00	1.00	20.0	45	42	<b>107.0</b>
5.-7.	308	1.00	1.00	20.0	46	41	<b>107.0</b>
8.	154	1.00	1.00	20.0	44	42	<b>106.0</b>
9.	394	1.00	1.00	20.0	46	34	<b>100.0</b>
10.-11.	113	1.00	1.00	20.0	37	41	<b>98.0</b>
10.-11.	016	1.00	1.00	20.0	46	32	<b>98.0</b>
12.-13.	371	1.00	1.00	20.0	34	43	<b>97.0</b>
12.-13.	051	1.00	1.00	20.0	46	31	<b>97.0</b>
14.-15.	065	1.00	1.00	20.0	39	37	<b>96.0</b>
14.-15.	039	1.00	1.00	20.0	46	30	<b>96.0</b>
16.	417	1.00	1.00	20.0	35	40	<b>95.0</b>
17.	420	1.00	1.00	20.0	34	40	<b>94.0</b>
18.-20.	483	1.00	1.00	20.0	39	34	<b>93.0</b>
18.-20.	237	1.00	1.00	20.0	34	39	<b>93.0</b>
18.-20.	449	1.00	1.00	20.0	40	33	<b>93.0</b>
21.	331	1.00	1.00	20.0	40	32	<b>92.0</b>
22.-24.	021	1.00	1.00	20.0	34	37	<b>91.0</b>
22.-24.	250	1.00	1.00	20.0	37	34	<b>91.0</b>
22.-24.	309	1.00	1.00	20.0	37	34	<b>91.0</b>
25.-28.	070	1.00	1.00	20.0	36	34	<b>90.0</b>
25.-28.	374	1.00	1.00	20.0	38	32	<b>90.0</b>
25.-28.	228	1.00	1.00	20.0	35	35	<b>90.0</b>
25.-28.	139	1.00	1.00	20.0	34	36	<b>90.0</b>
29.-30.	231	1.00	1.00	20.0	35	34	<b>89.0</b>
29.-30.	027	1.00	1.00	20.0	38	31	<b>89.0</b>
31.-32.	414	1.00	1.00	20.0	38	30	<b>88.0</b>
31.-32.	419	1.00	1.00	20.0	35	33	<b>88.0</b>
33.-36.	110	1.00	1.00	20.0	38	29	<b>87.0</b>
33.-36.	306	1.00	1.00	20.0	44	23	<b>87.0</b>
33.-36.	221	1.00	1.00	20.0	34	33	<b>87.0</b>
33.-36.	202	1.00	1.00	20.0	38	29	<b>87.0</b>
37.-40.	259	1.00	1.00	20.0	33	33	<b>86.0</b>
37.-40.	020	1.00	1.00	20.0	34	32	<b>86.0</b>
37.-40.	375	1.00	1.00	20.0	35	31	<b>86.0</b>
37.-40.	042	1.00	1.00	20.0	29	37	<b>86.0</b>
41.-43.	115	1.00	1.00	20.0	35	30	<b>85.0</b>
41.-43.	397	1.00	1.20	18.0	40	27	<b>85.0</b>
41.-43.	450	1.00	1.00	20.0	34	31	<b>85.0</b>
44.	133	1.00	1.00	20.0	42	22	<b>84.0</b>
45.-51.	127	1.00	1.00	20.0	36	27	<b>83.0</b>
45.-51.	242	1.00	1.00	20.0	32	31	<b>83.0</b>

45.-51.	089	1.00	1.00	20.0	37	26	<b>83.0</b>
45.-51.	018	1.00	1.00	20.0	41	22	<b>83.0</b>
45.-51.	236	1.00	1.00	20.0	33	30	<b>83.0</b>
45.-51.	186	1.00	1.20	18.0	37	28	<b>83.0</b>
45.-51.	249	1.20	1.00	18.0	36	29	<b>83.0</b>
52.-55.	092	1.00	1.00	20.0	40	22	<b>82.0</b>
52.-55.	111	1.00	1.00	20.0	32	30	<b>82.0</b>
52.-55.	256	1.00	1.00	20.0	27	35	<b>82.0</b>
52.-55.	045	1.00	1.00	20.0	31	31	<b>82.0</b>
56.-61.	126	1.00	1.00	20.0	37	24	<b>81.0</b>
56.-61.	060	1.00	1.00	20.0	37	24	<b>81.0</b>
56.-61.	369	1.00	1.00	20.0	37	24	<b>81.0</b>
56.-61.	177	1.00	1.00	20.0	34	27	<b>81.0</b>
56.-61.	131	1.00	1.00	20.0	33	28	<b>81.0</b>
56.-61.	418	1.00	1.00	20.0	33	28	<b>81.0</b>
62.-63.	094	1.00	1.00	20.0	33	27	<b>80.0</b>
62.-63.	043	1.00	1.00	20.0	24	36	<b>80.0</b>
64.-65.	090	1.00	1.00	20.0	31	28	<b>79.0</b>
64.-65.	179	1.00	1.00	20.0	33	26	<b>79.0</b>
66.-68.	425	1.00	1.00	20.0	32	26	<b>78.0</b>
66.-68.	468	1.00	1.00	20.0	27	31	<b>78.0</b>
66.-68.	372	1.00	1.00	20.0	27	31	<b>78.0</b>
69.	218	1.00	1.00	20.0	40	17	<b>77.0</b>
70.-71.	451	1.00	1.00	20.0	40	16	<b>76.0</b>
70.-71.	461	1.20	1.40	14.0	30	32	<b>76.0</b>
72.-74.	227	1.20	1.00	18.0	21	36	<b>75.0</b>
72.-74.	239	1.00	1.00	20.0	33	22	<b>75.0</b>
72.-74.	399	1.00	1.00	20.0	29	26	<b>75.0</b>
75.-78.	121	1.00	1.00	20.0	37	17	<b>74.0</b>
75.-78.	235	1.00	1.00	20.0	30	24	<b>74.0</b>
75.-78.	330	1.40	1.00	16.0	31	27	<b>74.0</b>
75.-78.	233	1.00	1.00	20.0	37	17	<b>74.0</b>
79.-80.	106	1.00	1.20	18.0	34	21	<b>73.0</b>
79.-80.	184	1.00	1.20	18.0	25	30	<b>73.0</b>
81.	141	1.00	1.00	20.0	25	27	<b>72.0</b>
82.-83.	333	1.00	1.00	20.0	34	17	<b>71.0</b>
82.-83.	040	1.00	1.00	20.0	25	26	<b>71.0</b>
84.	304	1.00	1.00	20.0	23	27	<b>70.0</b>
85.-87.	486	1.00	1.00	20.0	31	18	<b>69.0</b>
85.-87.	136	1.00	1.00	20.0	23	26	<b>69.0</b>
85.-87.	467	1.00	1.20	18.0	30	21	<b>69.0</b>
88.-91.	398	1.00	1.00	20.0	30	18	<b>68.0</b>
88.-91.	245	1.00	1.00	20.0	25	23	<b>68.0</b>
88.-91.	459	1.00	1.20	18.0	18	32	<b>68.0</b>
88.-91.	128	1.00	1.00	20.0	30	18	<b>68.0</b>
92.-95.	447	1.00	1.00	20.0	22	25	<b>67.0</b>
92.-95.	219	1.00	1.00	20.0	27	20	<b>67.0</b>
92.-95.	211	1.00	1.00	20.0	27	20	<b>67.0</b>
92.-95.	147	1.00	1.00	20.0	22	25	<b>67.0</b>
96.-98.	326	1.20	1.60	12.0	31	23	<b>66.0</b>
96.-98.	373	1.00	1.00	20.0	26	20	<b>66.0</b>
96.-98.	366	1.40	1.40	12.0	35	19	<b>66.0</b>
99.-101.	305	1.00	1.00	20.0	28	17	<b>65.0</b>
99.-101.	395	1.00	1.00	20.0	24	21	<b>65.0</b>
99.-101.	226	1.00	1.00	20.0	23	22	<b>65.0</b>

102.	138	1.60	1.60	8.0	33	23	<b>64.0</b>
103.-110.	303	1.00	1.40	16.0	22	25	<b>63.0</b>
103.-110.	004	1.00	1.00	20.0	25	18	<b>63.0</b>
103.-110.	132	1.20	1.20	16.0	32	15	<b>63.0</b>
103.-110.	029	1.20	1.00	18.0	22	23	<b>63.0</b>
103.-110.	220	1.00	1.00	20.0	22	21	<b>63.0</b>
103.-110.	048	1.40	2.00	6.0	25	32	<b>63.0</b>
103.-110.	047	1.00	1.00	20.0	21	22	<b>63.0</b>
103.-110.	198	1.00	1.00	20.0	23	20	<b>63.0</b>
111.	216	1.00	1.20	18.0	23	20	<b>61.0</b>
112.-113.	019	1.00	1.00	20.0	22	18	<b>60.0</b>
112.-113.	363	1.00	1.00	20.0	18	22	<b>60.0</b>
114.-117.	247	1.00	1.00	20.0	21	18	<b>59.0</b>
114.-117.	429	1.00	1.40	16.0	23	20	<b>59.0</b>
114.-117.	314	1.00	1.40	16.0	25	18	<b>59.0</b>
114.-117.	482	1.00	1.00	20.0	22	17	<b>59.0</b>
118.-121.	416	1.00	1.00	20.0	20	18	<b>58.0</b>
118.-121.	030	1.00	1.00	20.0	18	20	<b>58.0</b>
118.-121.	203	1.60	1.60	8.0	26	24	<b>58.0</b>
118.-121.	153	1.00	1.00	20.0	16	22	<b>58.0</b>
122.-124.	462	1.60	1.80	6.0	31	20	<b>57.0</b>
122.-124.	252	1.00	1.00	20.0	17	20	<b>57.0</b>
122.-124.	234	1.40	1.40	12.0	30	15	<b>57.0</b>
125.-126.	413	1.20	1.20	16.0	21	18	<b>55.0</b>
125.-126.	224	1.40	1.00	16.0	24	15	<b>55.0</b>
127.-128.	370	1.20	1.20	16.0	17	21	<b>54.0</b>
127.-128.	313	1.60	1.00	14.0	24	16	<b>54.0</b>
129.-130.	022	1.00	1.40	16.0	20	17	<b>53.0</b>
129.-130.	469	1.60	1.60	8.0	28	17	<b>53.0</b>
131.	200	1.00	1.60	14.0	18	19	<b>51.0</b>
132.	428	1.00	1.40	16.0	18	15	<b>49.0</b>
133.	102	2.00	1.60	4.0	18	26	<b>48.0</b>
134.	261	1.80	1.80	4.0	25	18	<b>47.0</b>
135.	156	1.40	1.20	14.0	17	15	<b>46.0</b>
136.	396	1.80	1.40	8.0	15	17	<b>40.0</b>
137.	180	1.80	2.00	2.0	15	17	<b>34.0</b>

**Nesplněna kritéria pro přijetí na MG**

	054	1.00	1.20	18.0	18	10	<b>46.0</b>
	097	1.00	1.00	20.0	28	12	<b>60.0</b>
	263	1.00	1.00	20.0	17	14	<b>51.0</b>
	044	1.40	1.60	10.0	14	10	<b>34.0</b>
	260	1.00	1.40	16.0	26	9	<b>51.0</b>
	068	1.00	1.20	18.0	14	15	<b>47.0</b>
	071	1.00	1.40	16.0	14	9	<b>39.0</b>
	393	1.00	1.20	18.0	20	8	<b>46.0</b>
	003	1.00	1.00	20.0	31	12	<b>63.0</b>
	056	1.00	1.00	20.0	23	11	<b>54.0</b>
	315	1.00	1.60	14.0	31	13	<b>58.0</b>
	480	1.40	1.60	10.0	12	11	<b>33.0</b>
	028	1.00	1.00	20.0	22	9	<b>51.0</b>
	006	1.00	1.00	20.0	20	11	<b>51.0</b>
	125	1.00	1.40	16.0	13	8	<b>37.0</b>
	152	1.00	1.20	18.0	22	12	<b>52.0</b>
	116	1.60	1.80	6.0	18	4	<b>28.0</b>
	015	1.40	1.80	8.0	21	11	<b>40.0</b>

	052	1.40	1.60	10.0	13	10	<b>33.0</b>
	148	1.60	1.40	10.0	18	9	<b>37.0</b>
	408	1.40	2.00	6.0	7	21	<b>34.0</b>
	415	1.40	1.20	14.0	22	13	<b>49.0</b>
	101	1.00	1.00	20.0	21	12	<b>53.0</b>
	215	1.40	1.20	14.0	30	10	<b>54.0</b>
	050	1.20	1.20	16.0	20	7	<b>43.0</b>
	135	1.20	1.60	12.0	22	12	<b>46.0</b>
	223	1.40	1.20	14.0	9	3	<b>26.0</b>
	061	1.00	1.00	20.0	26	8	<b>54.0</b>
	243	1.00	1.00	20.0	25	13	<b>58.0</b>
	181	1.00	1.40	16.0	19	10	<b>45.0</b>
	311	1.40	2.00	6.0	23	11	<b>40.0</b>
	409	2.00	2.00	0.0	22	12	<b>34.0</b>
	187	1.40	1.40	12.0	29	14	<b>55.0</b>
	488	1.20	1.40	14.0	21	12	<b>47.0</b>
	318	1.00	1.40	16.0	19	14	<b>49.0</b>
	046	1.40	1.80	8.0	13	6	<b>27.0</b>
	172	1.40	1.80	8.0	21	8	<b>37.0</b>
	360	1.40	1.60	10.0	14	14	<b>38.0</b>
	230	1.00	1.00	20.0	28	13	<b>61.0</b>
	063	1.40	1.60	10.0	23	8	<b>41.0</b>
	367	1.00	1.40	16.0	23	7	<b>46.0</b>
	364	1.00	1.00	20.0	22	9	<b>51.0</b>
	365	1.00	1.00	20.0	15	12	<b>47.0</b>
	146	1.00	1.00	20.0	29	8	<b>57.0</b>
	008	1.00	1.00	20.0	25	12	<b>57.0</b>
	151	1.00	1.00	20.0	32	14	<b>66.0</b>
	011	1.60	1.80	6.0	10	13	<b>29.0</b>
	334	1.20	1.20	16.0	14	11	<b>41.0</b>