

Přijímací řízení ke vzdělávání ve střední škole

79-41-K/81 Gymnázium (osmileté studium)

Seznam nepřijatých uchazečů

Datum zveřejnění 16. 6. 2020

Pořadí	Ev. č.	Body ČJ	Perc. ČJ	Body MA	Perc. MA	Průměr ZN	Body ZN	Perc. ZN	Vážený Perc.
57.	896	36	71,96	33	68,22	1,00	4,00	40,65	67,146
58.	803	38	77,10	30	61,21	1,00	4,00	40,65	66,305
59.	876	39	79,43	28	57,94	1,00	4,00	40,65	65,882
60.	705	37	74,29	29	59,81	1,00	4,00	40,65	64,410
61.	871	28	47,19	39	85,98	1,00	4,00	40,65	63,992
62.	812	32	62,14	34	71,02	1,00	4,00	40,65	63,987
63.	938	26	41,12	40	88,78	1,00	4,00	40,65	62,520
64.	912	31	58,87	35	73,83	1,11	3,89	28,03	62,518
65.	892	29	50,00	39	85,98	1,33	3,67	11,21	62,312
66.	911	41	84,11	25	45,32	1,00	4,00	40,65	62,309
67.	829	31	58,87	33	68,22	1,00	4,00	40,65	61,256
68.	983	34	67,75	29	59,81	1,11	3,89	28,03	60,205
69.	842	28	47,19	36	78,03	1,11	3,89	28,03	59,152
70.	981	36	71,96	27	52,80	1,11	3,89	28,03	58,945

71.	945	32	62,14	29	59,81	1,00	4,00	40,65	58,943
72.	712	34	67,75	27	52,80	1,00	4,00	40,65	58,313
73.	703	31	58,87	30	61,21	1,00	4,00	40,65	58,101
74.	923	29	50,00	36	78,03	1,67	3,33	3,73	57,987
75.	893	30	55,60	31	64,01	1,00	4,00	40,65	57,890
76.	986	35	70,09	26	49,06	1,00	4,00	40,65	57,683
77.	922	30	55,60	33	68,22	1,22	3,78	18,69	57,588
78.	934	29	50,00	35	73,83	1,33	3,67	11,21	56,845
79.	808	32	62,14	27	52,80	1,00	4,00	40,65	55,788
80.	701	30	55,60	32	65,42	1,33	3,67	11,21	55,580
81.	718	29	50,00	31	64,01	1,00	4,00	40,65	55,370
82.	802	31	58,87	28	57,94	1,11	3,89	28,03	55,368
83.	870	37	74,29	23	39,71	1,00	4,00	40,65	55,365
84.	916	33	64,95	27	52,80	1,22	3,78	18,69	54,857
85.	990	32	62,14	26	49,06	1,00	4,00	40,65	54,105
86.	943	27	44,85	34	71,02	1,22	3,78	18,69	54,011
87.	850	38	77,10	21	33,17	1,00	4,00	40,65	53,687
88.	854	29	50,00	32	65,42	1,33	3,67	11,21	53,060
89.	804	34	67,75	23	39,71	1,00	4,00	40,65	52,422
90.	856	27	44,85	30	61,21	1,00	4,00	40,65	51,792

91.	950	39	79,43	21	33,17	1,44	3,56	8,41	51,511
92.	939	26	41,12	31	64,01	1,00	4,00	40,65	51,374
93.	828	22	26,63	36	78,03	1,00	4,00	40,65	51,162
94.	894	25	36,44	33	68,22	1,00	4,00	40,65	51,162
95.	931	33	64,95	23	39,71	1,00	4,00	40,65	51,162
96.	815	29	50,00	27	52,80	1,00	4,00	40,65	50,325
97.	861	31	58,87	24	42,99	1,00	4,00	40,65	49,902
98.	805	23	29,90	36	78,03	1,33	3,67	11,21	49,690
99.	935	30	55,60	25	45,32	1,00	4,00	40,65	49,479
100.	977	29	50,00	27	52,80	1,11	3,89	28,03	49,063
101.	885	28	47,19	27	52,80	1,00	4,00	40,65	49,061
102.	845	29	50,00	28	57,94	1,67	3,33	3,73	48,946
103.	924	26	41,12	30	61,21	1,11	3,89	28,03	48,852
104.	921	20	20,56	36	78,03	1,00	4,00	40,65	48,431
105.	942	33	64,95	22	36,44	1,11	3,89	28,03	48,429
106.	944	28	47,19	27	52,80	1,11	3,89	28,03	47,799
107.	810	33	64,95	20	30,37	1,00	4,00	40,65	46,959
108.	971	35	70,09	19	27,10	1,11	3,89	28,03	46,539
109.	961	30	55,60	22	36,44	1,00	4,00	40,65	45,483
110.	976	28	47,19	24	42,99	1,00	4,00	40,65	44,646

111.	895	16	13,08	38	83,64	1,33	3,67	11,21	44,645
112.	849	25	36,44	28	57,94	1,22	3,78	18,69	44,340
113.	859	26	41,12	27	52,80	1,22	3,78	18,69	44,133
114.	865	27	44,85	26	49,06	1,22	3,78	18,69	44,129
115.	966	27	44,85	26	49,06	1,22	3,78	18,69	44,129
116.	979	26	41,12	26	49,06	1,11	3,89	28,03	43,384
117.	891	29	50,00	22	36,44	1,00	4,00	40,65	42,963
118.	913	24	33,17	27	52,80	1,00	4,00	40,65	42,752
119.	993	30	55,60	20	30,37	1,00	4,00	40,65	42,752
120.	872	37	74,29	12	11,21	1,00	4,00	40,65	42,540
121.	873	36	71,96	13	13,08	1,00	4,00	40,65	42,333
122.	901	20	20,56	34	71,02	1,33	3,67	11,21	42,332
123.	954	26	41,12	24	42,99	1,00	4,00	40,65	41,915
124.	889	16	13,08	35	73,83	1,22	3,78	18,69	40,979
125.	888	25	36,44	25	45,32	1,00	4,00	40,65	40,857
126.	906	31	58,87	17	21,02	1,00	4,00	40,65	40,016
127.	964	34	67,75	15	16,35	1,22	3,78	18,69	39,714
128.	875	23	29,90	26	49,06	1,00	4,00	40,65	39,597
129.	985	30	55,60	18	23,36	1,00	4,00	40,65	39,597
130.	857	17	17,28	30	61,21	1,00	4,00	40,65	39,386

131.	710	24	33,17	25	45,32	1,00	4,00	40,65	39,386
132.	927	25	36,44	26	49,06	1,44	3,56	8,41	39,316
133.	877	25	36,44	23	39,71	1,00	4,00	40,65	38,333
134.	970	22	26,63	26	49,06	1,00	4,00	40,65	38,126
135.	824	35	70,09	9	5,14	1,00	4,00	40,65	37,919
136.	823	26	41,12	21	33,17	1,00	4,00	40,65	37,496
137.	995	28	47,19	19	27,10	1,00	4,00	40,65	37,496
138.	898	25	36,44	22	36,44	1,00	4,00	40,65	36,861
139.	811	22	26,63	25	45,32	1,00	4,00	40,65	36,443
140.	904	26	41,12	20	30,37	1,00	4,00	40,65	36,236
141.	984	29	50,00	17	21,02	1,00	4,00	40,65	36,024
142.	864	27	44,85	18	23,36	1,00	4,00	40,65	34,760
143.	899	22	26,63	24	42,99	1,11	3,89	28,03	34,132
144.	897	23	29,90	23	39,71	1,11	3,89	28,03	34,128
145.	827	33	64,95	10	6,54	1,22	3,78	18,69	34,040
146.	905	25	36,44	19	27,10	1,00	4,00	40,65	32,658
147.	982	24	33,17	22	36,44	1,33	3,67	11,21	32,446
148.	700	21	21,96	25	45,32	1,22	3,78	18,69	32,145
149.	978	24	33,17	22	36,44	1,56	3,44	5,60	31,885
150.	910	18	18,69	24	42,99	1,00	4,00	40,65	31,821

151.	947	21	21,96	23	39,71	1,00	4,00	40,65	31,817
152.	956	21	21,96	22	36,44	1,00	4,00	40,65	30,345
153.	723	14	7,94	27	52,80	1,11	3,89	28,03	30,136
154.	867	22	26,63	21	33,17	1,11	3,89	28,03	29,713
155.	725	18	18,69	23	39,71	1,11	3,89	28,03	29,083
156.	869	23	29,90	21	33,17	1,56	3,44	5,60	28,942
157.	839	23	29,90	21	33,17	2,00	3,00	0,46	28,428
158.	973	15	10,74	25	45,32	1,11	3,89	28,03	28,030
159.	903	29	50,00	11	8,87	1,33	3,67	11,21	27,613
160.	729	24	33,17	18	23,36	1,22	3,78	18,69	27,308
161.	900	25	36,44	14	14,01	1,00	4,00	40,65	26,768
162.	881	29	50,00	9	5,14	1,22	3,78	18,69	26,682
163.	914	22	26,63	18	23,36	1,00	4,00	40,65	26,561
164.	721	25	36,44	15	16,35	1,22	3,78	18,69	25,625
165.	704	21	21,96	19	27,10	1,11	3,89	28,03	24,880
166.	819	16	13,08	21	33,17	1,00	4,00	40,65	24,878
167.	883	21	21,96	20	30,37	1,56	3,44	5,60	24,109
168.	818	21	21,96	17	21,02	1,00	4,00	40,65	23,406
169.	715	25	36,44	10	6,54	1,00	4,00	40,65	23,406
170.	936	21	21,96	19	27,10	1,33	3,67	11,21	23,198

171.	880	22	26,63	17	21,02	1,56	3,44	5,60	22,003
172.	980	16	13,08	20	30,37	1,22	3,78	18,69	21,422
173.	987	24	33,17	9	5,14	1,00	4,00	40,65	21,305
174.	884	24	33,17	12	11,21	1,44	3,56	8,41	20,812
175.	953	20	20,56	15	16,35	1,00	4,00	40,65	20,675
176.	933	18	18,69	15	16,35	1,00	4,00	40,65	19,833
177.	874	15	10,74	20	30,37	1,33	3,67	11,21	19,621
178.	925	23	29,90	11	8,87	1,33	3,67	11,21	18,568
179.	965	15	10,74	17	21,02	1,00	4,00	40,65	18,357
180.	722	16	13,08	18	23,36	1,22	3,78	18,69	18,267
181.	866	21	21,96	15	16,35	1,44	3,56	8,41	18,081
182.	832	17	17,28	15	16,35	1,11	3,89	28,03	17,937
183.	909	16	13,08	18	23,36	1,44	3,56	8,41	17,239
184.	714	21	21,96	10	6,54	1,00	4,00	40,65	16,890
185.	972	17	17,28	12	11,21	1,00	4,00	40,65	16,886
186.	882	16	13,08	14	14,01	1,00	4,00	40,65	16,256
187.	941	12	4,67	19	27,10	1,22	3,78	18,69	16,166
188.	974	21	21,96	13	13,08	1,89	3,11	1,40	15,908
189.	711	23	29,90	7	2,80	1,33	3,67	11,21	15,836
190.	998	12	4,67	19	27,10	1,44	3,56	8,41	15,138

191.	853	19	20,09	8	4,20	1,00	4,00	40,65	14,996
192.	838	14	7,94	14	14,01	1,00	4,00	40,65	13,943
193.	820	16	13,08	11	8,87	1,00	4,00	40,65	13,943
194.	817	12	4,67	18	23,36	1,33	3,67	11,21	13,735
195.	959	16	13,08	14	14,01	1,33	3,67	11,21	13,312
196.	730	13	6,07	18	23,36	2,00	3,00	0,46	13,290
197.	887	13	6,07	15	16,35	1,22	3,78	18,69	11,958
198.	930	8	0,46	15	16,35	1,00	4,00	40,65	11,630
199.	826	14	7,94	11	8,87	1,00	4,00	40,65	11,630
200.	727	14	7,94	15	16,35	1,89	3,11	1,40	11,071
201.	713	13	6,07	14	14,01	1,22	3,78	18,69	10,905
202.	949	10	1,40	16	20,56	1,67	3,33	3,73	10,255
203.	863	11	3,27	11	8,87	1,00	4,00	40,65	9,528
204.	706	14	7,94	7	2,80	1,00	4,00	40,65	8,898
205.	868	13	6,07	10	6,54	1,11	3,89	28,03	8,478
206.	946	14	7,94	3	0,93	1,00	4,00	40,65	8,057
207.	975	11	3,27	12	11,21	1,89	3,11	1,40	6,656
208.	955	15	10,74	7	2,80	1,56	3,44	5,60	6,653
209.	907	15	10,74	6	1,86	1,78	3,22	3,27	5,997
210.	996	10	1,40	5	1,40	1,11	3,89	28,03	4,063

211.	960	6	0,00	10	6,54	1,67	3,33	3,73	3,316
212.	834	10	1,40	8	4,20	2,22	2,78	0,00	2,520
213.	726	8	0,46	6	1,86	1,33	3,67	11,21	2,165
214.	844	11	3,27	2	0,00	1,56	3,44	5,60	2,032
215.	988	10	1,40	2	0,00	1,89	3,11	1,40	0,770

V řípadě rovnosti váženého percentilu je pořadí stanoveno dle bodu 4 (příp. 5) kritérií přijímacího řízení.

Tyto zveřejněné výsledky nemají váhu písemného rozhodnutí podle správního řádu.

Ve Zlíně 16. 6. 2020



RNDr. Jan Chudárek
ředitel školy